



EAN:	4013288134479	Size:	285x205x55 mm
Part number:	05018283001	Weight:	915 g
Article number:	932 S/6	Country of origin:	CZ
		Customs tariff number:	82054000

- Chiseldriver for fastening, chiselling and loosening
- For both slotted and Phillips screws
- Hexagonal blade extending through the handle
- Impact cap with integrated square and bolster for the transfer of higher torque
- Storage rack for wall-mounting

Wera Chiseldriver for fastening, chiselling and loosening seized screws. Multi-component Kraftform handle for fast and low-fatigue working.

Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. A hexagon blade out of high quality bit material that extends right through the blade ensures full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking. Comes with an impact cap for enhanced service life and reduced risk of splintering. More torque can be transferred with the help of an open-end or ring spanner applied to the integrated hexagonal bolster. In some cases equipped with a square take-up in the impact cap that enables higher torque transfer when screwdriving with the T-handle, Zyklus ratchet or Mini ratchet. The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.



Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_s_6.html


Wera - 932 S/6
05018283001 - 4013288134479

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Integrated impact cap



Screwdrivers are often misused as chisels. This can be dangerous. The chiseldriver is the solution when not only screwdriving is required. For fastening, chiselling and loosening seized screws. Wera chiseldriver: the screwdriver whenever the going gets tough!



An integrated impact cap lengthens the service life and reduces the danger of splintering. Nevertheless, always wear protective goggles.

Impact cap with integrated square socket



Even higher torque can be transferred by connecting the square drive version to a T-handle or Zyklop ratchet.

Pound-thru blade



A hexagon blade made out of high-quality bit material extends right through the handle - thereby ensuring full transfer of force, even when struck with a hammer. The ductile tempered material prevents the blade from splintering or breaking.

Integrated hex bolster



Greater torque can be transferred by fitting an open-jaw or ring spanner over the integrated hex bolster.

Wera Black Point tip




The Wera Black Point tip and a refined hardening process ensure long service life of the tip, improved corrosion protection and an exact fit.

Prevents hand injuries



The outstanding design of the Kraftform handle that fits perfectly into the hand prevents hand injuries such as blisters and calluses.

Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_s_6.html

Wera - 932 S/6

05018283001 - 4013288134479

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

932 S/6 Screwdriver set Kraftform Wera: Chiseldriver and rack, 6 pieces

Kraftform Plus – Series 900



Set contents:

917 SPHS Screwdriver for Phillips screws, PH 1 x 90 mm



05017040001	1x	PH 1 x 90 mm
05017041001	1x	PH 2 x 113 mm

932 A Screwdriver for slotted screws, 0.6 x 3.5 x 80 mm



05018260001 ¹⁾	1x	0.6 x 3.5 x 80 mm
---------------------------	----	-------------------

1) No throughout blade, no impact cap and no hexagon bolster

932 AS Screwdriver for slotted screws, 0.8 x 4.5 x 100 mm



05018300001	1x	0.8 x 4.5 x 100 mm
05018301001	1x	1 x 5.5 x 113 mm
05018302001	1x	1.2 x 7 x 138 mm

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus_series_900_932_s_6.html

Wera - 932 S/6

05018283001 - 4013288134479

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de