L-Keys for Hexagon Socket Screws









Part number:05022669001Weight:651 gArticle number:3950/9 Hex-Plus Multicolour Country of origin:CZ

Stainless 1

Customs tariff 82041100 number:

• Solution to the extraneous rust problem: fasten stainless screws with stainless tools

- Hex-Plus allows socket head screws to live longer
- With Take it easy tool finder: colour coding by size
- Wear-resistant clip material for enhanced durability
- Colour coded, easy-to-grip plastic sleeve, even at low temperatures

High quality L-key set out of stainless steel for hexagon socket screws by Wera. Stainless steel prevents the transfer of extraneous rust. The Hex-Plus profile offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. Come with hex ballpoint on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving. "Take it easy" Tool Finder: colour coding according to size. In an almost wear-free L-key clip fastener.









L-Keys for Hexagon Socket Screws

We questioned the classic L-key

design, since all too often the

screw head recess is rounded out,

meaning screws can no longer be

tightened or loosened - and so the

user finds the L-key slipping out of

the recess. Wera Hex-Plus tools

have a larger contact surface in

the screw head. The notching

effects are reduced and thereby

the deformation of the screws. At

the same time, as much as 20 %

more torque can be applied.



Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraenous rust forming.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, İS transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

L-keys with a thermoplastic sleeve



L-keys with a thermoplastic sleeve are manufactured out of easy-togrip, circular material. The sleeve ensures that work is safe and comfortable even at low temperatures. High corrosion protection features thanks to the BlackLaser special surface treatment. Colour coding and large stamp to enable the desired L-key to be easily located.

Secure hold and easy removal



The wear-resistant clip material ensures that the L-keys are securely held yet are easy to remove.

Take it easy tool finder system



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_9_hex-plus_multicolour_stainless_1.html

Wera - 3950/9 Hex-Plus Multicolour Stainless 1 05022669001 - 4013288185211

3950/9 Hex-Plus Multicolour Stainless 1 L-key set, metric, stainless, 9 pieces

L-Keys for Hexagon Socket Screws



Set contents:

3950 SPKL Multicolour L-key, metric, stainless, 1.5 x 90 mm

3330 of the Multicolour E Roy, mound, stanness, 1.3 x 30 mm			
0	05022660001	1x	1.5 x 90 mm
Mono rescres Ell/Mil. (s	05022661001	1x	2 x 101 mm
	05022662001	1x	2.5 x 112 mm
	05022663001	1x	3 x 123 mm
	05022664001	1x	4 x 137 mm
	05022665001	1x	5 x 154 mm
	05022666001	1x	6 x 172 mm
	05022667001	1x	8 x 195 mm

05022668001

1x 10 x 224 mm